



For the use of a Veterinary Medical Practitioner or a Veterinary Hospital or a Laboratory

Foot-and-Mouth Disease Vaccine, inactivated BP

Foot-and-Mouth Disease Vaccine, Inactivated BP, is a trivalent oil adjuvant vaccine recommended for immunization of cattle, buffaloes, sheep, goats for prophylaxis against FMD.

COMPOSITION: contains inactivated FMD virus antigens of types 'O' , 'A' and 'Asia1' with potency ≥ 3.0 PD₅₀ per valency per dose. The viruses are propagated on BHK-21 cell culture, inactivated with aziridine compound before purification and concentration. Mineral oil (ISA Montanide 206) is added as an adjuvant and thimerosal (0.02% W/V) as a preservative.

DOSAGE & ADMINISTRATION: 2 ml in cattle and buffaloes; 1 ml in sheep, goats and pigs for deep intramuscular use only. Shake gently before use.

PROPHYLACTIC USE: A single dose is administered for animals of 4 months of age and above.

IMMUNITY: Immunity is conferred for 9 months. However, half-yearly vaccination is recommended in endemic areas as per the DAHD&F, GOI guidelines.

PRECAUTIONS: Immunize only healthy animals. Malnutrition, infestation with worms, administration of immunosuppressive agents such as corticosteroids or radiotherapy will interfere with the immune response to vaccine.

POST-VACCINATION REACTIONS: Generally, there are no adverse reactions noticed. Occasionally a transient palpable swelling may occur at the site of injection, which will subside in 24-48 hours.

STORAGE & TRANSPORT: Store and transport the vaccine between +2 and +8°C until use. At no stage should the vaccine be allowed to freeze. Protect from sunlight.

SHELF LIFE: 2 years from the date of manufacture.

PRESENTATION: Multidose vial containing 10 doses	- 20 ml
Multidose vial containing 50 doses	- 100 ml



Aiken Healthcare LTD

Unit 36 88-90 Hatton Garden; London, UK
EC1N8PG

sales@aikenhealthcare.com
www.aikenhealthcare.com

S.No	Name of the Product
1	Albendazole I. P. 5% w/w
2	Albendazole I. P. 25 mg.
3	Albendazole I. P. (vet) 3 gms.+ Cobalt Chloride 53 mg.
4	Albendazole I. P. 1.5 gms.
5	Niclosamide BP Vet 500 mg + Albendazole IP 150 mg
6	Rafoxanide B. P. (vet) 3% w/v
7	Rafoxanide IP (Vet) 3% w/v + Levamisole Hydrochloride IP (Vet) 3% w/v
8	Rafoxanide BP (Vet) 30 mg +Levamisole Hydrochloride BP 15 mg
9	Albendazole I. P. (vet) 25 mg.+ Rafoxanide I. P. (vet) 22.70 mg.
10	Trimethoprim I. P. (Vet) 200 mg.+Sulphadiazine I. P. (Vet) 1000 mg.
11	Trimethoprim BP 400 mg + Sulphadiazine BP 2000 mg
12	Trimethoprim I. P. (Vet) 2% w/w +Sulphadiazine B. P. (Vet) 10% w/w
13	Ciprofloxacin HCL I.P. equivalent to Ciprofloxacin 2 gms.
14	Ciprofloxacin HCL I.P. equivalent to Ciprofloxacin 3 gms.
15	Ciprofloxacin Hydrochloride I.P.equivalent to Ciprofloxacin 1500 mg.+Tinidazole I.P. 1800 mg.
16	Ciprofloxacin Hydrochloride IP Equivalent to Ciprofloxacin 125 mg +Tinidazole IP 150 mg
17	Metronidazole IP 1000 mg+ Furazolidon IP 500 mg +Lopramide IP. 7.5 mg
18	Contains: Ivermectin 0.1%w/v
19	Fenbendazole B. P. (vet) 150 mg.
20	Fenbendazole B. P. (Vet) 1.5 gms.
21	Fenbendazole B. P. (Vet) 25% w/w
22	Fenbendazole B. P. (vet) 25 mg.+Cobalt Sulphate 7H2O (4.47) equivalent to Elemental Cobalt+Sodium Selenate 0.40 mg equivalent to Elemental Selenium
23	Furazolidone I. P. (Vet) 200 mg.
24	Neomycin Sulphate I.P. (vet) 5% w/w+Oxytetracycline Hydrochloride I.P. (vet) 5% w/w
25	Niclosamide I. P. (vet) 1.0 gm.
26	Oxytetracycline Hydrochloride I.P. (vet) 500 mg
27	Oxytetracycline Hydrochloride I.P. (vet) 50 mg
28	Meloxicam BP 100 mg
29	Sulphadimidine I. P. 5.0 gms.
30	Gammabenzene Hexachloride I. P. 0.1% w/w+Strong Cetrimide Solution B. P.equivalent to Cetrimide I. P. 0.45% w/v+Proflavine Hemisulphate I. P. 0.1% w/v

31	Tetracycline Hydrochloride I.P. 50 gm.
32	Triclabendazole 50 mg.
33	Triclabendazole 5.0% w/v + Ivermectin BP 0.1% w/v
34	Sulphadoxine IP 1000mg + Trimethoprim IP 200mg
35	Closantel 1000 mg.
36	Closantel 150 mg.
37	Closantel 50mg
38	Oxyclozanide I. P. (Vet) 1.0 gm.
39	Oxyclozanide I. P. (Vet) 3.4% w/v
40	Oxyclozanide I. P. (vet) 3% w/v + Tetramisole Hcl B. P. (vet) 3% w/v
41	Oxyclozanide I. P. (vet) 30 mg.+ Levamisole Hcl I. P. (vet) 15 mg.
42	Oxyclozanide IP (Vet) 60 mg + Levamisole Hcl I.P (Vet) 30 mg
43	Analgin I.P. 0.5 gm.+Chlorbutol (As preservative) I.P. 0.4% w/v
44	Sulphadiazine I.P. (Vet) 400 mg.+Trimethoprim I.P. (Vet) 80 mg.+Methyl Paraben I.P. 0.1% w/v +Propyl Paraben I.P. 0.02% w/v
45	Sulphadiazine I.P. (Vet) 200 mg.+Trimethoprim I.P. (Vet) 40 mg.+Chlorocresol (As preservative) I.P. 0.1%
46	Calcium Gluconate IP 20.75% w/v equivalent to Calcium 1.86% w/v + Proportion of Boric Acid to+ Calcium in the Injection is 2.26 to 1
47	Calcium Gluconolactobionate 137.5 mg +Vitamin D 3 I.P. 5000 IU+Vitamin B 12 I.P. 50 mcg.+Benzyl Alcohol (As preservative) I.P. 1.5%
48	Calcium Gluconate IP 20.75% w/v equivalent to Calcium 1.86% w/v +Proportion of Boric Acid to+Calcium in the Injection is 2.26 to 1+Mg Hypophosphite 5.0% w/v+ Dextrose (Anhydrous) IP 20.0% w/v +Chlorocresol IP 0.1% w/v
49	Chloramphenicol I.P. 150 mg+Chlorocresol I.P. 0.1% w/v+Benzyl Alcohol I.P. 2% w/v+Propylene Glycol I.P.
50	Ciprofloxacin Lactate I.P. equivalent to Ciprofloxacin 40 mg.
51	Ciprofloxacin Lactate I.P. equivalent to Ciprofloxacin 100 mg.
52	Clorsulon USP 100 mg +Ivermectin IP 10 mg + Benzyl Alcohol IP 1.5 % v/v+ Propylene glycol IP
53	Sulphamethoxazole IP 400 mg +Trimethoprim IP 40 mg.
54	Dicyclomine Hydrochloride IP 10 mg +Benzyl Alcohol IP 2 % v/v
55	Butaphosphan 100mg +Cyanocobalamin I.P 50 mcg.
56	Dinazene Aceturate 70 mg +Phenazone B.P. 375 mg

57	Dexamethasone Sodium Phosphate I.P. 4.4 mg equivalent to Dexamethasone Phosphate 4 mg equivalent to Dexamethasone 3.344 mg +Methyl Paraben I.P. 0.15% w/v + Propyl Paraben (As preservative) I.P. 0.02% w/v
58	Water for Injection I.P. Q.S.
59	Choline Chloride, Cyanocobalamin &Glycine Injection
60	Choline Chloride 15mg +Cyanocobalamin IP 20mcg +Glycine IP 30mg (Equivalent to 0.48% of Nitrogen)+ Chlorbutol IP 0.3%w/v
61	Meloxicam IP 20 mg +Benzyl Alcohol (As Preservative) IP 2 % w/v +Lignocaine Hydrochloride IP 1 % w/v
62	Ivermectin 10 mg+ Propylene Glycol I.P. Q.S.
63	Enrofloxacin 100 mg +Benzyl Alcohol I.P. 1.5% v/v
64	Enrofloxacin 200 mg+ Benzyl Alcohol I.P. 1.5% v/v
65	Vitamin A I.P. 2000 IU+Vitamin D 3 I.P. 2000 IU +Vitamin E Acetate IP 4 mg+Niacinamide I.P. 10 mg +Thiamine Hcl B.P. 10 mg +Pyridoxine Hcl I.P 5 mg+Riboflavin Phosphate Sodium I.P 5 mg+D - Panthenol I.P.1 mg +Vitamin B12 I.P10 mcg +D - Biotin B.P. 10 mcg +Calcium Glycerophosphate B.P10 mg+ Phenol I.P. 0.5% w/v
66	Gentamycin Sulphate I.P. equivalent to 40 mg. of Gentamycin Base +Methyl Paraben I.P. 1.8 mg+Propyl Paraben I.P. 0.2 mg
67	Chlorpheniramine Maleate I.P. 10 mg.+Chlorbutol (As preservative) I.P. 0.1% w/v
68	Levamisole Hcl IP 75mg
69	Lithium Antimony Thiolate 60 mg equivalent to Antimony Trioxide 12 mg+Chlorocresol I.P. 0.1% w/v(As preservative)
70	Vitamin B1 I.P. 25 mg.+Riboflavin Phosphate Sodium I.P. 1.37 mg.+Niacinamide I.P. 100 mg.+D - Panthenol I.P. 5 mg.+Vitamin B 6 I.P. 5 mg. +Vitamin B 12 I.P. 30 mcg. +Choline Chloride15 mg+. Lignocaine Hcl I.P. 1% w/v+Liver Extract Crude derived from 8 gm. + Of Fresh Liver (Proteolysed) containing Vitamin B 12 activity equivalent to not less than 2 mcg. Of Cyanocobalamin+ Phenol (preservative) I.P. 0.5% w/v+Amikacin Sulphate Injection IP
71	Amikacin Sulphate IP equivalent to Amikacin 250mg+Sodium Citrate IP 2.5% w/v+Sodium Metabisulphite IP 0.66%w/v+Methyl Paraben (As Preservative) IP 0.04% w/v+Propyl Paraben (As Preservative) IP 0.01%w/v
72	Methylcobalamin 500 mcg +Vitamin B6 IP 50 mg+Nicotinamide IP 50 mg+Benzyl Alcohol IP 2.0% v/v(As preservative)
73	Methylcobalamin 500 mcg +Folic Acid IP 5 mg+Niacinamide IP 50 mg+Benzyl Alcohol IP 2.0% v/v
74	Flunixin Meglumine IP 83 mg equivalent to Flunixin 50 mg+phenol (As Preservative) IP 0.5% w/v

75	Neomycin Sulphate I.P. (Vet) equivalent to 140 mg of Neomycin base +Mynistyl-gamma-picolinium chloride 0.2 mg
76	Oflaxacin BP 30 mg
77	Oxytetracycline Hcl. I.P. (Vet) 50 mg.
78	Oxytetracycline Hcl. I.P. (Vet) 100 mg.
79	Oxytetracycline Dihydrate I.P. 200 mg. (in 2 - Pyrrolidone Vehicle System)
80	Meloxicam B.P. 5 mg
81	Sodium Acid Phosdphate 200 mg+Cyanocobalamin IP 50 mcg
82	Praziquantel IP 56.8 mg+Benzyl Alcohol IP 75 mg+Chlorobutanol IP 5 mg (As preservative)+Propylene Glycol IP qs
83	Ketoprofen USP 100 mg+Benzyl Alcohol USNF 1% w/v
84	Sulphadimidine Sodium I.P. (Vet) 1.0 gm.
85	Phenylbutazone I.P. 200 mg+Sodium Salicylate I.P. 20 mg
86	Antimony Potassium Tartrate B.P. 20 mg
87	Thiamine Hydrochloride I.P. 33 mg+Pyridoxine Hydrochloride I.P. 33 mg+Cyanocobalamin I.P. 333 mcg+Benzyl Alcohol (As preservative) I.P. 2% v/v
88	Tylosine I.P. (Vet) 50 mg+Benzyl Alcohol (As preservative) I.P. 2% v/v
89	Tylosin Tartrate BP (Vet) Equivalent to Tylosin base 100 mg
90	Tylosin Tartrate IP equivalent to Tylosin IP 200mg+Benzyl Alcohol IP 2%v/v(As preservative)
91	Sulphadoxin IP 200mg+Trimethoprim IP 40mg
92	Nimesulide BP 100mg
93	Meloxicam BP 5 mg+Paracetamol IP 150 mg+Benzyl Alcohol BP 1% w/v+Lignocaine Hydrochloride IP 1% w/v
94	Vitamin A I.P. 600000 IU+Chlorbutol (As preservative) I.P. 1% w/v in oily vehicle (appropriate average added)
95	Vitamin A (As palmitate) I.P. 250,000 IU +Vitamin D 3 I.P. 25,000 IU+Vitamin E Acetate I.P. 100 mg+Benzyl Alcohol (As preservative) I.P. 1% v/v
96	Sodium Acid Phosphate IP 400mg (Equivalent to 79.4mg of elemental Phosphorous)